

INDEX

- activity-based modeling, of hospital operations
 - direct care activities, 344–347
 - HUC model, 347–351
- activity-centric flow model
 - activities, 347
 - discharge, 347
 - patients, 346
 - resources, 347
- acute care hospital, 338
- acute inflammatory responses (AIR), 222
 - bifurcation diagrams, 241, 242
 - full model stability analysis, 245, 247
 - IL-10 inhibition mechanism, 239, 240
 - innate immunity, mathematical model of, 239–241
 - monocyte subsystem stability analysis, 244–246
 - neutrophil subsystem stability analysis, 242–244
- Acute Physiology and Chronic Health Evaluation (APACHE)
 - acute physiological scores, 468
 - analytic methods, 469
 - APACHE II Severity Classification System, 466–467
 - chronic health index, 468
 - cubic spline transformation, 468
 - ICU efficiency and resource use, 468
 - multivariate logistic regression model, 468
 - physiologic variables, 466
 - severity of illness measurement, 466
- adaptive lasso-based score function, 5, 10, 15
- adjusted patient days (APD), 340
- advanced access, in primary care, 365
- Affordable Care Act, 264, 265, 268, 288
- Affordable Health Care (AHC) Act, 555
- agent-based simulation (ABS) model, 308
- AHP. *see* analytic hierarchy process (AHP)
- AIC. *See* Akaike Information Criterion (AIC)
- AIR. *see* acute inflammatory responses (AIR)
- alkaline phosphatase (ALP) clinical assay
 - uncertainty model
- ALP activity level, 142
- Beer–Lambert law, 144
- calibration parameter, 142
- calibrator reconstituted stability, 142
- calibrator set point uncertainty, 142
- chemical reaction, 141
- clock uncertainty, 147, 148
- considerations, 153

- alkaline phosphatase (ALP) clinical assay
 uncertainty model (*Continued*)
 elevated enzyme levels, 141
 enzyme–substrate complex concentration, 144, 145
 Gaussian distribution, 143
 instrument uncertainty, 149
 law of mass action, 144
 Michaelis constant, 146
 optical absorbance, of reaction mixture, 141, 147, 148
 photometer uncertainty, 143, 152
 physical assumptions, 152
p-nitrophenol concentration, 144
 Roche Diagnostics P-Modular Analytics measurement platform, 141
 sample analysis phase, 149
 sample and reagent pipetting uncertainty, 143
 sources of calibrator uncertainty, 151, 152
 statistical assumptions, 152
 uncertainty profile, 150
 vial-to-vial variability, 142, 143
 worst-case bias of measurand, 151
- Allan factor, 118
- Alzheimer's disease detection, DAMIP model, 173–175
- ambulance demand. *see* spatiotemporal ambulance demand estimation; temporal ambulance demand estimation
- analysis of variance (ANOVA), 81, 561
- analyte, 138
- analytical laboratory measurement systems, uncertainty in, 136
- analytic hierarchy process (AHP), 307, 311–312
- analytics
 categories, 40–41
 description, 40
- angioprinting, 179
- ANN. *see* artificial neural networks (ANN)
- ANOVA. *see* analysis of variance (ANOVA)
- antibody-based methods, 33
- anti-inflammatory cytokines
 high effect of, 251
 inhibition, 239
 low effect of, 252–253
 medium effect of, 247, 252
- anti-inflammatory immune response model, 237–239
- APACHE. *see* Acute Physiology and Chronic Health Evaluation (APACHE)
- Apple App Store, 559
- approximate entropy (ApEn), 109–110
- arrhythmia detection, extended neural networks for, 113, 114
- artificial intelligence, 159
- artificial neural networks (ANN), 112–114, 191
- autocorrelation function, 62
- Bayesian Information Criterion (BIC), 406
- Bayesian networks, 198–199
 constraint-based approach, 5
 hybrid search strategies, 5
 PC algorithm, 5, 15–16
 performance, 13
 score-and-search approach, 4–5
- Beer–Lambert law, 144
- behavioral operations research, 330
- bifurcation diagrams, 241, 242
- biomedical analytics
 Hodgkin's lymphoma exceptional responder, 48–50
 hypoxia pathway, 50–51
 input preprocessing, 43
 and methodology flowchart, 38, 39
 and morphoproteomics integration, 44–46
 output postprocessing, 43–44
 pancreatic adenocarcinoma, therapeutic recommendations for, 46–48
 pathway analysis, 41
 pathway generation software, 41–42
 pre- and postprocessing algorithms, 42
- BI-RADS. *see* breast imaging reporting and data system (BI-RADS)
- birth-and-death Markov chain Monte Carlo (BDMCMC) model, 402
- bnlearn package, 23
- box-counting method, fractal dimension, 66–68
- branch-and-bound algorithm, 14
- breast cancer diagnosis, machine learning for, 195
- breast imaging reporting and data system (BI-RADS), 195
- calibrator materials, uncertainty statements for, 135
- cancer, 189, 215
 CpG island methylation, in human cancer, 175–176
 esophageal cancer, CRT, 199–205
 lung, 199
 radiation therapy for, 211
- Cancer Cell Line Encyclopedia (CCLE) Project, 20
- cardiac catheterization lab, simulation-based alternatives, 305
- cardiac disease detection and classification
 ambulatory ECG recording, 111
 artificial neural network, 112–114
 support vector machine, 114–115

- case-mix index (CMI), 348–350
- catnet package, 24
- cecal ligation and puncture (CLP), 251
- cellular signaling network, in flow cytometry data, 20–23
- Center for Medicare & Medicaid Services (CMS), 433
- certified reference material (CRM), 138
- chemoradiotherapy (CRT), esophageal cancer, 199–200, 205
 - feature selection and predictive model construction, 200–202
 - input features, 200
 - results, 202–204
- CHF. *see* congestive heart failure (CHF)
- Children's Health Insurance (CHIP), 562
- China's urban healthcare system
 - determining preference vector, 311–312
 - linear standardization, 311
 - preference-based multiobjective optimization procedure
 - DES simulation model, 312–313
 - flow chart, 312
 - Random Search and R&S algorithm, 313–314
 - SA and Response Surface Method algorithm, 314–316
 - problem description, 308–309
 - system modeling, 310–312
- classification, in medicine and biology
 - definition, 159
 - machine-learning framework, 163
- cLasso method, 11, 16, 21
- Clinical Laboratory Improvement Amendments act (1998), 128
- clinical laboratory measurement uncertainty
 - process
 - accuracy and reliability, 134
 - ALP clinical assay, 141–152
 - analytical stage of, 129
 - calibration phase, 138
 - conceptualization of, 138, 139
 - definitive method, 134
 - estimation methods, 130
 - EURACHEM guide, 134
 - field method, 134
 - GUM (1993), 130, 134, 136
 - instrument manufacturers, 153, 154
 - modeling guidelines, 139–141
 - Monte Carlo method (*see* Monte Carlo method, for measurement uncertainty estimation)
 - physical assumptions, 152
 - postanalytical stage of, 129
 - preanalytical stage of, 129
 - Recommendation INC-1, 130
 - sample analysis phase, 138
 - sources of, 129
 - statistical assumptions, 152
 - system description and process phases, 138–139
 - clinical laboratory tests, 127, 128
 - clock uncertainty, 147, 148
 - CLP. *see* cecal ligation and puncture (CLP)
 - cognitive science, 159
 - cold ischemia time (CIT), 414
 - Community Healthcare Centers (CHCs), in China, 303
 - community hospitals, 338
 - complete partial DAG (cpDAG), 6
 - Complications Screening Program, 527
 - composite quality measures
 - benefit-of-the-doubt weights, 544
 - cost-based weights, 543
 - individual patient, 543
 - judgment weights, 543
 - opportunity-based weights, 544
 - quality indicators, 543
 - quality score, 542
 - statistical weights, 544
 - computer-aided ECG, 95, 96
 - computerized ED system workflow model
 - Grady Hospital, 277–279
 - integrating machine learning within RealOpt simulation–optimization environment, 280
 - nonlinear mixed-integer program, 277, 280–281
 - RealOpt© simulation, 277
 - validation, 282–284
 - conditional independence test, 15
 - congestive heart failure (CHF), 81–82
 - Consortium to Establish a Registry for Alzheimer's Disease (CERAD) word list, 173, 174
 - constrained discrimination rules. *see* partial discrimination rules
 - continuous wavelet transform (CWT), 70–72
 - conversation analysis (CA), 518
 - CpG island methylation, in human cancer, 175–176
 - cross-sectional computer modeling analysis, 305–306
 - cross-validation (CV), 13
 - current deceased-donor adult liver allocation system, 414–415
 - custodial ancillary services, 349
 - Cyberknife Synchrony system, 211–212, 214
 - cytokine release mechanism, 228, 229

- DAGs. *see* directed acyclic graphs (DAGs)
- damaged tissue model, 233–234
- DAMP. *see* discriminate analysis via a mixed-integer program (DAMIP)
- data and information system, in primary care, 364
- data-driven postsurgical ICU decision-support system, 474
- data envelopment analysis (DEA), 341
- deal package, 24
- decision tree
 - for Grade 2 rectal complication classification, 209
 - predictive modeling techniques, 193–194
- DEM. *see* digital elevation model (DEM)
- DES. *see* discrete-event simulation (DES)
- descriptive analytics, 41
- determination of reactive oxygen metabolites (d-ROMs) test, 177, 178
- detrend fluctuation analysis (DFA), 110–111
- diabetes diagnosis, 134–135
- diagnostic ancillary services, 349
- diagnostic assays, total analytical error estimation for, 135–136
- dimension, definition of, 65
- directed acyclic graphs (DAGs), 4
 - optimization technique, 14
 - R software, 23
 - traveling salesman problem, 14
- direct measurands, 138
- discrete-event simulation (DES), 422–423
 - antineoplastic medication preparation and delivery, 367
 - bed unit utilizations, 368
 - emergency department, 366–367
 - imaging costs and outcomes, 369
 - intensive care units, 367
 - patient flow analysis, 367–368
 - physiotherapy clinic, performance of, 368–369
 - primary care outpatient clinics, 368–369
 - radiation therapy process, 367
- discrete support vector machine, 161
- discrete support vector machine predictive models
 - discriminant analysis via mixed-integer programming, 165–166, 170–182
 - features, 163–170, 182
 - heuristic linear MIP model, 167
 - linear mixed-integer model, 167
 - model size, 169
 - reserved-judgment region for general groups, 164
 - variations, 167–169
- discrete wavelet transform (DWT), 101
- discriminant analysis
 - description, 160
 - fundamental problem, 160
 - fundamental steps, 160
 - objective, 161, 170
- discriminant analysis via mixed-integer programming (DAMIP), 166
 - advantages, 183
 - characteristics, 170
 - CpG island methylation, in human cancer, 175–176
 - discriminant rule derivation, 165
 - early atherosclerosis prediction, 177–178
 - erythematous-squamous disease type determination, 179
 - heart disease prediction, 179–180
 - immune responses to flu shots, 171–173
 - microangiographic fingerprint, 178–179
 - mild cognitive impairment and Alzheimer's disease detection, 173–175
 - NP-complete, 170
 - protein localization sites, 180–181
 - sarcoma treatment, 176–177
 - ultrasonic assisted cell disruption, for drug delivery, 176
 - validation and computational effort, 171
- discriminant rules, 161
- discriminate analysis via a mixed-integer program (DAMIP), 274–276
- disease-altered recurrence dynamics, 88
- DIST algorithm, 14, 15
- DNA damage, 3–4
- DNA repair gene, 4
- dose-volume histogram (DVH) constraint, 209
- dose-volume (DV) thresholds, radiation therapy, 205–206
- downward referral policy, 304
- DREAM5 Network Inference, 7
- d-separation, 5–6
- early atherosclerosis prediction, discriminant analysis, 177–178
- ECG-derived respiration (EDR) signal, 115, 117
- ED. *see* emergency department (ED)
- effective care, 504
- electrocardiography (ECG)
 - baseline of, 98
 - characteristics of, 60
 - development stages, 95
 - EDR signal, 117
 - electrodes and lead connections, 97
 - elements of, 96–99
 - feature set, 117–118
 - heart rate variability, 106, 107
 - OSA detection (*see* obstructive sleep apnea (OSA), from single ECG lead)

- signal morphology, 96
- statistical modeling for disease detection
 - disease diagnosis techniques, 99, 111–115
 - ECG signal denoising, 100–105
 - feature extraction approach, 99, 106–111
 - preprocessing techniques, 99
 - stages of, 99, 100
 - waveform detection methods, 99, 105–106
- waveform durations and wave amplitudes, 98, 99
- waveforms and intervals, 97, 98
- electronic health records (EHR), 363
- electronic patient records (EPR), 364
- emergency department (ED), 366–405. *see also*
 - Grady Hospital
 - ABS model, 308
 - challenges and objectives, 267–268
 - computerized ED system workflow model, 277–282
 - crowding, 266, 267
 - data collection and time-motion studies, 270–271
 - discrete-time survival analysis, 267
 - Edelman–Wagner project, 268
 - efficiency, 305
 - ethnographic approach, 267
 - facility design, 269
 - human-centered computational modeling, 268
 - length of stay and throughput comparisons, 285, 286
 - machine learning techniques, 274–276
 - model validation, 282–284
 - operations improvement options, 285, 287
 - patient care and resources, 270, 271
 - performance characteristics, 266
 - quality and flow, 266
 - readmissions, 267, 268
 - split-flow process improvement, 306
 - visits, in US healthcare system, 264
 - volume-driven protocol, 266
 - workflow and services, 269–270
- emergency medical services (EMS), 389
- emergency rooms (ER), 357
- emergency severity index (ESI), 269, 285
- empirical mode decomposition (EMD), for ECG denoising, 102–104
- enzyme unit per liter (U/l), 141
- erythematous-squamous disease type, DAMIP model, 179
- esophageal cancer, CRT, 199–205
- extracellular potentials, of single cardiac fiber, 96
- false discovery rate (FDR), of proteins, 32
- false nearest neighbor (FNN) method, 62–64
- false neighbors, 64
- feature extraction approach, for disease detection, 99
 - approximate entropy, 109–110
 - detrend fluctuation analysis, 110–111
 - frequency-domain methods, 108
 - RR intervals, 107
 - time-domain methods, 107–108
- feature selection, 160
- feed-forward neural network, 112–113
- finite mixture modeling, ambulance demand
 - ambulance demand density, 400
 - autoregressive parameters, 401
 - BDMCMC, 403
 - bivariate Gaussian density, 400
 - daily seasonality, 401
 - intra-week mixture weights, 401
 - Markov chain Monte Carlo model, 402
 - Metropolis-Hastings random walk, 402
 - mixture weights, 401
- flu shots, immune responses to, 171–173
- fractal dimension
 - box-counting method, 66–68
 - Euclidean geometry, 66
 - Koch snowflake curve, 66
 - and self-similarity, 65, 66
 - singularity spectrum, 69
- fractals, definition of, 65
- Framingham risk score, 177, 178
- full model stability analysis, 245–247
- fuzzy AHP, 307
- gene network problem
 - Bayesian networks (*see* Bayesian networks)
 - CCLC Project, 20
 - cellular signaling network, 20–23
 - issues, 13
 - score function formulation, 9–12
 - SKCM data, 16–20
 - structural equation model, 8
 - two-step learning technique, 12–13
- General Hospitals (GH), in China, 303
- generalized additive models (GAMs), 394
- generalized linear discriminant analysis (GLDA), 197
- The Genotype-Tissue Expression (GTEx) project, 7
- geriatric depression scale (GDS), 173, 174
- Glasgow Coma Scale (GCS), 466
- GLDA. *see* generalized linear discriminant analysis (GLDA)
- glioblastoma multiforme (GBM) brain cancer network, 50, 51

- glucose measurements, uncertainty estimates for, 134–135
- Grade 2 rectal complication classification
 decision tree for, 209
 prediction of, 210, 211
- Grady Hospital
 benefits, 265
 blue zone, workflow process map, 269, 272
 Edelman–Wagner work, 266
 emergency department, 265
 annual financial savings and revenues, 295
 continuous improvement and adaptive advances, 297
 emergency care, improved efficiency of, 294
 external sponsorship, 295
 global resource allocation and changes, 290
 health cost reductions, 296
 hospital care delivery advances, 297
 improved quality of care, 296–297
 operations research advances, 298
 patient characteristics, 282
 Phase I adoption and implementation, 288
 Phase II adoption and implementation, 290–292
 potential death and disability reduction estimates, 296
 qualitative benefits, 296–297
 quantitative benefits, 294–296
 readmission statistics, 282
 RealOpt flowchart, of ED workflow, 277–279
 results, 288, 290
 ten fold cross-validation results and blind-prediction accuracy, 282, 284
 financial collapse, 265
 length of stay and throughput comparisons, 281, 283
- GSUA. *see* global sensitivity and uncertainty analyses (GSUA)
- Guide to the Expression of Measurement in Uncertainty (GUM (1993)), 136
 uncertainty of measurement
 definition, 130–131
 evaluation of, 131–133
 updated edition of, 133
- Harris Hip Score, 504
- health and wellness objectives, 577–580
- healthcare activity, 344
- healthcare applications, nonlinear dynamics, 80–81
 HRV analysis, 81–86
 space–time physiological signals, multiscale recurrence analysis, 85–88
- Healthcare Cost and Utilization Project (HCUP), 454
- healthcare cost predictions
 clustering algorithms, 537–538
 disease burden and interactions, 533–534
 high-cost members, 539
 high-risk member identification, 540
 modeling, 531–533
 performance measures and baselines, 534
 prediction algorithms, 534–535
 regression trees, 535–537
- Healthcare Cost Report Information System (HCRIS), 343, 344, 347
- healthcare organizations, 558
- health goals, 578–579
- Health Insurance Portability and Accountability Act (HIPAA), 560
- heart disease prediction, DAMIP model, 179–180
- heart rate variability (HRV)
 classification performance, 85, 86
 ECG signal, 106, 107
 feature analysis, 83–85
 feature extraction, 83
 feature selection, 83
 nonlinear characterization of, 81–85
 time and frequency domains, 107, 108
- heuristic algorithm, for local optimal solution, 14–15
- hierarchical healthcare system, in China, 303–342. *see also* China’s urban healthcare system
- high motility group box-1 (HMGB-1), 222
- Hodgkin’s lymphoma exceptional responder, 48–50
- Hopf bifurcation, 242
- Hopf point, 241–245
- hospital-acquired conditions (HACs), 297
- hospital care delivery advances, 297
- hospital productivity measurement, 335
- hospital readmission risk prediction
 AdaBoost, 444
 clinical patient data, 444–445
 feature selection, 441–442
 missing value imputation, 442
 Naive Bayesian classifier, 442–443
 overall prediction pipeline, 441
 reducing class imbalance, 442
 results and discussions, 445–447
 support vector machine, 443
- Hospital Unit of Care (HUC) model
 activity-based view, of hospital operations, 344, 346
 assumption, 336

- baseline HUC, 347
- component activity levels, 350, 351
- HUC measure development, 348
- inpatient general med/surg, 348
- intensive care services, 348
- IP and OP ancillary services, 349
- nursery services, 349
- outpatient care services, 349
- output activity components, 348
- HRV. *see* heart rate variability (HRV)
- human heart, 80
- human immune response, 222
- hypoxia pathway, in oncogenesis and embryogenesis, 50–51

- immune responses to flu shots, DAMIP model, 171–173
- immunohistochemistry (IHC), 34
- indirect measurands, 138
- Ingenuity Pathway Analysis (IPA), 23
- innate immunity of AIR, mathematical models, 239–241
 - anti-inflammatory cytokines inhibition, 239
 - stability analysis, 241–247
- insurance claims
 - administrative data, 523
 - advantages and limitations of claims data, 525–526
 - application areas, 526–528
 - claims-based medical studies, 524
 - claims databases, 525
 - clustering algorithms, 537–538
 - high-cost members, 539
 - insurance pricing and renewal decisions, 540
 - Manitoba Health Services Commission data bank, 524
 - Medicare and Medicaid, 524
 - modeling of disease burden and interactions, 533–534
 - modeling of healthcare costs, 531–533
 - performance measures and baselines, 534
 - pharmacy claim, 523–524
 - prediction algorithms, 534–535
 - quality of care, 540–548
 - regression trees, 535–537
 - statistical methodologies, 528–531
 - timeline of healthcare research, 524
- integer-valued time series model, 390
- integrated biomedical and morphoproteomic analyses
 - Hodgkin's lymphoma exceptional responder, 48–50
 - hypoxia pathway, in oncogenesis/embryogenesis, 50–51
 - pancreatic adenocarcinoma, therapeutic recommendations for, 46–48
- intensive care unit (ICU)
 - bed occupancy levels in, 305
 - risk-scoring systems, 466
 - services, sample data for, 345
- Interactive Voice Response (IVS) systems, 519
- interleukins (IL)-10, 237–240
- International Classification of Disease, Ninth Revision, Clinical Modification (ICD-9 CM) codes, 523
- intracellular multicolor flow cytometry, 20
- intrinsic mode functions (IMF), 102, 103

- Kaiser Permanente, 526
- Kalman filters, 104–105
- kernel density estimation (KDE), 405
- kidney-only transplant centers, 415
- Koch curve, fractal dimension calculation of, 67–68
- Kolmogorov–Smirnov (KS) test, 83–85
- Kupffer local response model, 224–228

- large-scale wavelets, 71
- lasso approach, 5
- law of propagation of uncertainty, 133, 137
- leave-one-out cross-validation (LOOCV) scheme, 118
- limit points (LPs), 241, 242
- logistic regression (LR), 85
 - analysis, 190
 - predictive modeling techniques, 193
- long-term recurrence analysis, 88
- L1-penalized method, 5
- LR. *see* logistic regression (LR)
- λ -type hospital classification system, 355–358
- Luenberger indicator, 341
- lung cancer, 199

- machine learning (ML)
 - definition, 159
 - with discrete support vector machine predictive models, 163–170
 - in mammography, 195
 - for medical image processing, 194–195
 - for predicting patient characteristics
 - DAMP, 274
 - optimization-based classifier, 275–276
 - supervised classification approach, 274
 - 10-fold cross-validation, 274
 - wrapper approach, 274

- machine learning (ML) (*Continued*)
 for predicting radiotherapy response, 197–199
 in real-time tumor localization, 196–197
 tools, 190
- macrophages, 224–225
- malignant neoplasms, 3
- mammography, machine learning in, 195
- Manitoba Health Services Commission data bank, 524
- massive training artificial neural network (MTANN) filter, 195
- mass spectrometry, 33
- Matcont, 241
- Max–Min Hill-Climbing (MMHC) algorithm, 5
- measurand, 138
- Medicaid and Medicare, 524
- medical image processing, machine learning for, 194–195
- Medicare Administrative Contractor (MAC), 343
- Medicare Assistance, 562
- medicare data sources, for hospital operations, 343–344
- Medicare Provider Analysis and Review (MEDPAR), 343, 344
 outpatient care services, 347
- MEDIC method, 390, 405
- MGMT, 4
- microangiographic fingerprint, 178–179
- Microsoft HealthVault, 560
- mild cognitive impairment, DAMIP model, 173–175
- Mini Mental State Examination (MMSE), 173–174
- miRNA-150, 18
- miRNA-155, 4
- missing data imputation, 479–482
- ML. *see* machine learning (ML)
- mobile and social media, 571–572
- mobile apps, for healthcare purposes, 574–577
- Model for End-Stage Liver Disease (MELD), 414
- modENCODE Project, 7
- molecular profiling for clinical decision making
 algorithms and protocols, 34
 genotyping, 33
 immunoassays, 34
 immunohistochemistry, 34
 literature review, 35–37
 mass spectrometry, 33–34
 proteomics, 33
- monocytes immune response model, 234–237
- monocyte subsystem stability analysis, 244–245
- Monte Carlo AHP, 307
- Monte Carlo method, for measurement uncertainty estimation
 advantage, 137, 140
 analytical chemistry, 137
 characteristics, 137
 statistical conditions, 133
- morphoproteomics
 and biomedical analytics integration, 44–46
 definition, 39
 Hodgkin's lymphoma exceptional responder, 48–50
 hypoxia pathway, 50–51
 methodology, 39–40
 and methodology flowchart, 38, 39
 molecular signature, 37
 pancreatic adenocarcinoma, therapeutic recommendations for, 46–48
- mortality probability model (MPM), 470–472
- motile enterobacteria, 226
- MS-based proteomic discovery, workflow algorithm for, 34
- MTANN-based segmentation method, 195
- MTANN filter. *see* massive training artificial neural network (MTANN) filter
- multifractal spectrum analysis of nonlinear time series, 65–75
- Multiparameter Intelligent Monitoring in Intensive Care (MIMIC), 491, 499
- multiplex immunoassays, 34
- multiscale recurrence quantification analysis, 78–80
- mutual information, computation of, 63
- National Organ Transplant Act (NOTA), 414
- neural networks, 112–114
- neuropsychological tests, 173
- neutral saddle point, 241
- neutrophils immune response model, 228–233
- neutrophil subsystem stability analysis, 242–244
- NN50 measures, 117
- noise-free ECG, 99
- nonlinear dynamics, 59
 healthcare applications, 80–88
 phase-space domain, 60
 sensor-based characterization and modeling
 multifractal spectrum analysis of nonlinear time series, 65–75
 multiscale recurrence quantification analysis, 78–80
 recurrence quantification analysis, 75–78
 theory, 61–62
- nonlinear mixed-integer program (NMIP), for multiple-resource allocation, 276, 279–280
- nonlinear recurrence analysis, 77
- nonlinear time series, multifractal spectrum analysis of

- continuous wavelet transformation, 70–72
 - fractal dimension, 65–70
 - wavelet transform modulus maxima method, 72–75
- Non-Peds visit, 371
- nonrenewal random point process, 99

- observational equivalence, 4, 6
- obstructive sleep apnea (OSA), from single ECG lead
 - BioSig toolbox, 116
 - classifier training with feature selection, 118–120
 - database, 115–116
 - description, 115
 - detection results, 120
 - EDR signal, 117
 - feature set, 117–118
 - minute-by-minute segments, 115
 - obstructive sleep apnea detection, 115
 - QRS detection algorithm, 116–119
 - RR correction, 116–119
 - R wave amplitudes, 117
 - signal morphology, 96
- Odana Atrium (OA) communication center, 369
- online health-related activities, 581
- online social media-based activities, 582–583
- online tools, healthcare purposes, 573–574
- open access. *see* advanced access, in primary care
- operations research (OR) advances, 298
- OPO boundaries
 - ArcView, 422
 - binary variable, 418
 - CIT, 417
 - donor hospitals, 416
 - donor–recipient matching process, 428
 - Euclidean distance, 418
 - geographical disparity, 429
 - graft transfer distance, 432–433
 - label assignment, 421
 - liver acquisition area, 416
 - Miller–Tucker–Zemlin formulation, 420
 - patient service area, 416
 - service areas, 419
 - spanning tree, 421
 - super vertex, 419
 - supply and demand, 418
 - supply/demand ratio, 428
 - waiting time, 429, 431
- optimal liver allocation boundaries
 - current deceased-donor adult liver allocation system, 414–415
 - discrete-event simulations, 422–423
 - geographic disparity, 414
 - kidney-only transplant centers, 415
 - liver transplant centers, 414
 - mathematical model, 416–422
 - new locations of transplant centers, 423–426
 - new OPO boundaries, 426–433
 - pre-2013 deceased-donor adult liver allocation system, 414–415
 - Standard Transplant Analysis and Research, 415
- optimization-based analytics approaches, 194
- Organization for Economic Cooperation and Development (OECD), 127
- Organ Procurement and Transplantation Network (OPTN), 414
- Organ Procurement Organization (OPO)
 - boundaries
 - acquisition area and service area, 417
 - Organ Procurement Organizations (OPOs), 414
- organs-at-risk (OARs) complications,
 - dose-volume thresholds, 205–206
- orthopedic outpatient clinic, simulation study of, 368
- oxidative stress, 177

- pain assessment, 509–510
- pancreatic adenocarcinoma, therapeutic
 - recommendations for, 46–48
- parasympathetic nervous system (PNS), 107
- partial discrimination rules
 - description, 161–162
 - disadvantage, 162
- pathogen strain selection
 - anti-inflammatory immune response model, 237–239
 - damaged tissue model, 233–234
 - Kupffer local response model, 224–228
 - monocytes immune response model, 234–237
 - neutrophils immune response model, 228–233
- Pathway Interaction Database, 7
- Pathway Studio, 23
- patient ambulatory care express (PACe) area, 270
- patient arrival, in pediatric clinic
 - appointment template, 371, 372
 - appointment vacancy probability distribution, 372
 - and composition, 371
 - medical assistants-only visits, 371
 - Non-Peds visit, 371
- patient-centered medical home, 364
- patient-centeredness, 503
- patient flow
 - analytic hierarchy process, 307
 - behavioral operations research, 330
 - discrete-event simulation, 367–368

- patient flow (*Continued*)
 - mental health system, in Pennsylvania, 306
 - multiobjective optimization problem, 306–307
 - objective dimensionality reduction, 306
 - pediatric clinic, 369–371
 - PUTh case study (*see* Peking University Third Hospital (PUTh), two-level healthcare system)
 - and service process, in two-level healthcare system, 308, 309
 - simulation modeling on, 305–306
 - simulation optimization, 307–308
 - weighted goal programming technique, 306–307
- patient heterogeneity, 465
- patient–physician interaction
 - big data analytics techniques, 506
 - communication skills and behaviors, 504
 - conversational characterizations, 517–519
 - data-informed recommendations, 504
 - data mining, 510–515
 - data mining techniques, 504
 - effective care, 504
 - Harris Hip Score, 504
 - medical decision making, 505
 - pain assessment, 509–510
 - paradigm shift, 505
 - patient-centered communication, 505
 - patient-centeredness, 503
 - prognosis discussion, 506–508
 - regression shrinkage and selection, 515–517
 - standardized patient methodology, 505
- patient satisfaction
 - conservation data, 513–515
 - survey data, 510–513
- patient visits, in pediatric clinic, 369
 - sequential stages of, 370–371
 - types of, 370
- pattern recognition, 159
 - fingerprinting native and angiogenic microvascular networks, 178–179
 - in satellite images, for soil type determination, 181–182
- pay-for-performance policies, 540
- pay-for-performance programs, 365
- PCA. *see* principal component analysis (PCA)
- PC algorithm, 5, 15–16
- pcalg package, 24
- pediatric clinic, simulation case study
 - control logics, 373, 374
 - in-room service, 374
 - model validation, 376
 - operation times, 373
 - patient arrival
 - appointment template, 371, 372
 - appointment vacancy probability distribution, 372
 - and composition, 371
 - medical assistants-only visits, 371
 - Non-Peds visit, 371
 - patient flow, 369–371
 - patient flow simulation model, 375
 - post-room service, 374
 - pre-rooming service process, 374
 - resources, 372
 - SIMUL8 software tool, 371
- Peking University Third Hospital (PUTh), two-level healthcare system
 - analysis and system estimation, 319–320
 - decision variables, 316, 317
 - fixed parameters, 316, 317
 - managerial insights and recommendations, 328–329
 - model validation, 320–321
 - optimization through algorithms, 321–328
 - system simulation results, 318–319
 - upper and lower bounds, 316, 317
- performance-based payments, in primary care, 365
- personal health records (PHR) sites, 560
- Petri net model, 366
- Pew Research Center’s Internet & American Life Project study, 557
- physiological signals, 59, 60, 121
- plasma oxidative stress, 177
- pNN50 measures, 107, 108, 117
- Poincaré recurrence theorem, 77
- postoperative outcomes
 - APACHE, 466–469
 - clinical status estimation, 463
 - cross-validation and ensemble voting processes, 489–490
 - data categorization, 475–479
 - data-driven methods, 464
 - data-driven postsurgical ICU decision-support system, 474
 - data preprocessing, 475–479
 - data synchronization, 494–495
 - ensemble NN model, 497
 - feature extraction, 482–484
 - feature selection, 484–486
 - Gaussian process, 494
 - ICU monitoring, 498
 - ICU scoring systems, 498
 - inpatient procedures, 465
 - management policies, 463
 - materials and experimental design, 491
 - med-sampling variables, 496
 - MIMIC, 499

- missing data imputation, 479–482
- MPM, 470–472
- patient heterogeneity, 465
- performance comparisons, 497–498
- postsurgical healthcare services, 464
- postsurgical sensing, 464
- predictive models, 487–489
- raw and imputed data for med-sampling, 491–493
- SAPS, 469–470
- SOFA, 472–474
- sorted mRMR scores, 496–497
- time asynchronization, 465
- U-matrix, 495–496
- variable heterogeneity, 465
- postsurgical ICU data characteristics,
 - categorization, and preprocessing, 475–479
- power spectral density (PSD) estimation
 - procedure, 108
 - nonparametric vs. parametric methods, 108, 109
- pre-2013 deceased-donor adult liver allocation
 - system, 414–415
- predictive analytics, 41
- predictive modeling techniques
 - applications, 194–199
 - decision tree, 193–194
 - feature selection, 191–192
 - logistic regression, 193
 - machine learning, 194–199
 - support vector machine, 192–193
- prescriptive analytics, 41
- primary care redesign. *see also* discrete-event simulation (DES)
 - advanced access, 365
 - block booking template, 377, 378
 - early start time, 380–382
 - electronic health records, 363
 - electronic patient records, 364
 - global experiences, 365–366
 - goal of, 361
 - medical homes, 364
 - non-double booking template, 377, 378, 381
 - patient volume under different templates, 379, 380
 - payment system, 364–365
 - queue length at registration, 382
 - resident doctor, 377
 - reviews, 362–363
 - room assignment, 379, 381
 - staffing analysis, 376–377
 - team work, 363
 - template comparison, 377, 379
- principal component analysis (PCA), 196
- probabilistic graphical modeling, 4
 - d-separation, 5–6
 - observational equivalence, 6
 - theoretical background, 5–6
- proteins
 - analyte activity, 40
 - false discovery rate of, 32
 - localization sites, DAMIP model, 180–181
- proteomics
 - antibody-based methods, 33
 - description, 33
 - mass spectrometry, 33
 - primary high-throughput technology, 32
- Qiagen’s Ingenuity Pathway Analysis (IPA), 42–43
- Q-SNARE protein complex, 228
- quadratic programming (QP) optimization
 - problem, 191, 192
- quality of care
 - case management tool, 546–547
 - composite quality measures, 542–544
 - healthcare resources, 547
 - quality data, 542
 - quality scores, 544–545
 - statistical approach, 545–546
 - structure, process, and outcomes, 540–542
 - quality scores, 544–545
- radiation-induced outcomes, 197
- radiation oncology, predictive modeling
 - techniques in. *see* predictive modeling techniques
- radiation therapy
 - for cancer, 211
 - dose-volume thresholds, 205–206
 - goal of, 189–190
 - modeling clinical complications after, 205–211
 - modeling results, 208–211
 - radiation-induced complications, treatment plan surface, 206–208
- R codes, 20–23
- reactive oxygen species (ROS), 233
- RealOpt© simulation, 277
- real-time tumor localization, machine learning in, 196–197
- real-world physiological systems, 88
- Recommendation INC-1, 130
- recurrence quantification analysis, 75–78
- recurrence quantification analysis (RQA), 75–78
 - multiscale, 78–80
- recurrence quantifiers, examples of, 77–78
- recurrent or refractory cancers. *see* biomedical analytics; morphoproteomics

- reform strategies, in primary care, 363
- regression methods, 190
- resource use profile, of hospitals, 351–357
- Restriction Landmark Genome Scanning (RLGS), 175
- root mean square of successive differences (RMSSD) measures, 107, 108, 118
- ROS. *see* reactive oxygen species (ROS)
- Roter Interaction Analysis System (RIAS), 509
- R-SNARE protein complex, 228
- RSS. *see* residual sum of squares (RSS)
- saliva flow rate
 mean-predicted vs. actual flow, 208
 prediction of, 209, 210
- Salmonella* sepsis, 224
- same-day scheduling. *see* advanced access, in primary care
- sarcoma treatment, DAMIP model, 176–177
- Scientific Registry of Transplant Recipients (SRTR), 434
- score function
 formulation, 9–12
 minimization (*see* solution search algorithms)
- SDMM. *see* system dynamic mathematical model (SDMM)
- SDSD measures, 117
- semisupervised learning, 160
- sensor-based characterization/modeling, nonlinear dynamics
 multifractal spectrum analysis of nonlinear time series, 65–75
 multiscale recurrence quantification analysis, 78–80
 recurrence quantification analysis, 75–78
- sepsis, 221–222
- sepsis progression
 initial *pathogen* load effects on, 247–250
 pro-and anti-inflammatory cytokines effects on, 250–253
- sequential minimal optimization (SMO) algorithm, 192
- Sequential Organ Failure Assessment (SOFA), 472–474
- short-time Fourier transform (STFT), 70
- signal denoising, for disease diagnosis
 advantages and disadvantages, 104–105
 approaches for, 100
 empirical mode decomposition, 102–104
 wavelet-based methods, 100–102
- Simplified Acute Physiology Score (SAPS), 469–470
- simulation optimization, in healthcare area
 vs. deterministic optimization, 307
- gradient-search mechanism, 308
- metaheuristic methods, 308
- nonintelligent global search, 307, 308
- Ranking and Selection, 307
- single cardiac fiber, activation process of, 96
- single-scale vs. multiscale recurrence analysis, 88
- SIR. *see* systemic inflammatory response (SIR)
- SIR model. *see* susceptible–infected–recovered (SIR) model
- skin cutaneous melanoma (SKCM) data, 16–20
- small-scale wavelets, 71
- SMO algorithm. *see* sequential minimal optimization (SMO) algorithm
- social media
 analytics, 561–562
 baseline of technology usage, 570–571
 customer service, 555
 descriptive statistics, 568–570
 Facebook, 556
 generalized linear model, 564
 health and wellness objectives, 577–580
 healthcare organizations, 558
 health insurance plans, 556
 health plan member population, 572–573
 Health Steps campaign, 558
 HumanaVille, 558
 Internet technologies, 556
 Life Game, 558
 maximum-likelihood estimation, 565–566
 mobile apps, 574–577
 mobile usage, 571–572
 Newton’s method, 566–567
 online tools, 573–574
 out-of-pocket medical expenses, 557
 personal health management, 556
 predictive models, 581–584
 privacy and security concerns, 559–560, 580–581
 survey design, 563–564
 Text4baby, 559
 Twitter, 556
 user-generated content, 557
- SOFA. *see* Sequential Organ Failure Assessment (SOFA)
- solution search algorithms
 global optimal solution search, 13–14
 heuristic algorithm, for local optimal solution, 14–15
 PC algorithm, 15–16
 space–time physiological signals, multiscale recurrence analysis, 85–88
- spatiotemporal ambulance demand estimation
 artificial neural network, 398

- Bayesian semiparametric mixture modeling, 399
- Dirichlet processes, 399
- downtown region of Toronto, 398–399
- Gaussian mixture models, 399
- model performance, 405–409
- posterior log spatial densities, 403–404
- posterior means and covariance ellipses, 403–404
- spatial density intraweek, 398
- spatiotemporal finite mixture modeling, 400–403
- time-varying finite mixture model, 400
- weekly seasonality, 399
- spatiotemporal vectorcardiogram (VCG) signals, 81
- SPIKES protocol, 508
- stability analysis, 241
 - anti-inflammatory cytokines, medium effect of, 247
 - full model stability analysis, 245–247
 - monocyte subsystem stability analysis, 244–245
 - neutrophil subsystem stability analysis, 242–244
- standardized patient (SP) methodology, 505
- Standard Transplant Analysis and Research (STAR), 415
- statistical ECG modeling, for disease detection
 - disease diagnosis techniques, 99, 111–115
 - ECG signal denoising, 100–105
 - feature extraction approach, 99, 106–111
 - preprocessing techniques, 99
 - stages of, 99, 100
 - waveform detection methods, 99, 105–106
- statistical pattern classification, 160
- statistical pattern recognition, 159
- Stochastic Approximation (SA), 308
- Stochastic Comparison (SC) algorithm, 308
- stochastic cost frontier analysis (SCFA), 341
- Stochastic Ruler (SR) algorithm, 308
- sum of difference (SD) calculation, 103
- supervised learning, 160
- support vector machine (SVM), 114–115, 191–193
- SVM. *see* support vector machine (SVM)
- sympathetic nervous system (SNS), 107
- Synchrony respiratory tracking system, 196
- system dynamic mathematical model (SDMM), 223–224
- systemic inflammatory response (SIR), 221
- TABU list, 14, 15
- Takens' delay embedding theorem, 60, 62
- TCGA Data Portal, 16–17
- TCGA data types, 17
- team work, in primary care, 363
- temporal ambulance demand estimation
 - day-of-week effects, 392
 - demand pattern, 391–392
 - dynamic latent factor structure, 392
 - factor modeling, 393–395
 - Gaussian autoregressive moving-average model, 391
 - notation, 392–393
 - parsimonious modeling, 391
 - time series models, 395–398
- 10-fold cross-validation, 274
- Text4baby, 559
- The Cancer Genome Atlas (TCGA) project, 7
- therapeutic ancillary services, 349
- 30-day hospital readmissions, heart failure patients
 - AdaBoost, 444
 - binary classification problem, 459
 - clinical patient data, 444–445
 - Cox regression, 458
 - effect of iterative predictions, 457
 - effects of attribute sets, 445–446
 - evaluation measures, 455
 - feature selection, 441–442
 - healthcare costs, 457
 - healthcare quality, 459
 - highest intensity interventions, 440
 - intervention recommendation, 453–454
 - missing value imputation, 442
 - Naive Bayesian classifier, 442–443
 - overall intervention pipeline, 447–448
 - overall prediction pipeline, 441
 - parameter learning, 451–452
 - post-discharge interventions, 440
 - pre-discharge and post-discharge modeling, 445–446
 - recommendation rule generation, 452–453
 - reducing class imbalance, 442
 - statistical significance of quality results, 455–456
 - structure learning Bayesian network, 448–451
 - support vector machine, 443
 - Washington State inpatient databases, 454–455
- 3-lead VCG signals, 85–87
- time-delay reconstruction, 62
- time-domain algorithms, 81
- time–frequency representation (TFR), 70
- topological dimension, 65
- Toronto's ambulance demand, 390
- tracking problem, 197
- transcription process, 3
- translation process, 3

- traveling salesman problem (TSP), 14
- triadic Cantor set, 69–70
- trimodality therapy, 199
- tumor motion modeling, with respiratory surrogates, 211–215
 - Cyberknife Synchrony system, 211–212
 - prediction error summary, 212, 213
 - tumor positions prediction, 212–214
- tumor necrosis factor- α (TNF- α), 222
- tumor positions prediction
 - modeling for, 212
 - results, 212–214
- 12-lead ECG recording system, 97
- two-class classification tracking problem, 197
- two-way referral policy (TWRP), 304
- type 2 diabetes mellitus, diagnosis and measurement uncertainty, 135

- ultrasonic assisted cell disruption, for drug delivery, 176
- uncertainty profile, 150
- United Network for Organ Sharing (UNOS), 414
- University of Wisconsin Health improvement projects, 369
- University of Wisconsin Health primary care redesign, 361
- unpaired t -test, 83–85
- unsupervised learning, 160
- upward referral policy, 304
- US hospitals
 - activity-based modeling, 344–351
 - acute care hospital, 338
 - adjusted patient days, 340
 - classification rules, application of, 355–358
 - community hospitals, 338
 - cost-efficiency measure, 341
 - count by control type, 337, 338
 - create your own pathway approach, 342
 - data envelopment analysis, 341
 - electronic health records, 342
 - emergency department visits, 264
 - equivalent patient units, 340, 341
 - functional relationships, 338, 339
 - Grady Hospital (*see* Grady Hospital)
 - hospital operation data sources, 342
 - long-term rehabilitation, 337
 - medicare data sources, 343–344
 - operational data sets, 341–342
 - operational resources, 338
 - patient heterogeneity, 340
 - process and quality, of differences, 340
 - productivity analysis, 339–341
 - psychiatric care, 337
 - reimbursement rates, 343
 - resource usage, 338
 - resource use profile, 351–357
 - short-term acute care, 337
 - size class, 337
 - stochastic cost frontier analysis, 341
 - structural classification, 337–339
 - systemic inefficiencies, 264
- US News and World Report ranking, 335

- variable-length wavelet function, 71, 72
- verbal communication-based data analysis, 517

- Washington State inpatient databases, 454–455
- waveform detection, for disease diagnosis, 99
 - description, 105
 - QRS detection algorithm, 105–106
- wavelet-based methods, for ECG denoising, 100–102
- wavelet functions, 70
- wavelet packet decomposition (WPD), 79, 80
- wavelet transform modulus maxima (WTMM)
 - method, 72–75
- weighted goal programming technique, 306–307
- white noise, 105

- Z-transform statistics, 15