

INDEX

A

- abutment teeth, 173
 - preset of, 175
- acquired or congenital maxillofacial defects, 27
- acrylic prosthetic denture teeth, 6
- acrylic teeth, 152
- acrylic varnish, 124
- adaptol, 181
 - border-molded custom tray, 182
- adjunctive diagnostic procedures, 53–54
- adjunctive diagnostic techniques, 52–53
- Aggregatibacter actinomycetemcomitans*, 60, 89, 90, 92, 93, 95, 96
- aging, 9, 33, 44, 49, 58, 67, 84, 129, 172, 207, 243
- albumin, 68, 70, 71
- alcohol, 49
- aligned artificial tooth (ISA) system, 153
 - digital design, 153
- alternative medicines, 135
- Alzheimer's Disease, 43
- amphotericin B, 107, 108, 131, 136, 138–140, 142, 144
- Angle's Class I malocclusion, 264
- ANOVA design, 212
- anterior tooth, 246
 - and dentogenic theory, 249
 - factors influencing identification, 249
 - factors of gender, personality, and age, 248
 - female patient, 248
 - Kappa values, 247
 - law of facial harmony, 246
 - layman group for gender determination, 248
 - male patient, 248
 - natural dentition, 246
 - photographic evaluation, 247–248
 - reliability/validity, 247
- anthropometric assessment, 67, 68
- antibacterial agents, 58
- antifungal agent, 60, 131, 135, 144, 146
- antifungal agents, 12, 60, 131, 135, 146
 - combination therapy of, 135
- antifungal therapy, 81, 99, 107, 108, 135, 140, 142
- antimicrobial treatment, 81, 108
- antiseptic agent, 129
- AOP. *see* artificial occlusal plane (AOP)
- artificial canines, 256
- artificial food, chewed
 - mean weight and standard deviation (SD) of, 208
 - period granulation, 209
- artificial occlusal plane (AOP), 195, 197
 - Camper's I, II, and III, 195, 196
 - dentate group, 195
- artificial teeth, 24, 153, 160, 174, 196, 197, 207, 256–259, 262
- aspiration pneumonia (AP), 6, 41
 - risk factors, 81
- autopolymerizing resin, 222

B

- Bacillus subtilis*, 131
- bacterial endocarditis, 6, 60
- bacterial species, in healthy patients, 6
- barium sulfate creamy mix, 195
- bilateral balanced occlusion
 - buccal view of, 222
 - fully, 222
 - lingual view, 222
- biochemical assessment, 67, 68

- biochemical markers, for undernutrition, 68
- biofilm, 60, 90, 100
 - accumulation, 129
 - cross section on denture surface, 106
 - denture, 6
 - coverage area, 130
 - plaque, evaluated composition of, 41
 - in edentulous oral cavity, 89–97
 - ineffective against MRSA, 85
 - mediated stomatitis, 146
 - organisms and proinflammatory cytokines, 114
 - propensity of *Candida*, 108
 - reduction with chlorhexidine, 131
 - reformation, 6
- bite-impression tray, 157
 - design of, 159
- black-pigmented *Bacteroides*, 90
- BMI. *see* body mass index (BMI)
- body mass index (BMI), 34, 35, 67–72
- bone height, 20–22, 24, 27, 32, 59
- bone volume, 20, 59
- brushing, 43, 49, 52, 54, 91, 105, 106, 108, 125, 129, 138
 - machine, 6
- buccalized occlusion (BO), 221, 223
 - buccal view of, 223
 - lingual view of, 223
- burning mouth syndrome, 59
- burns, 8, 62
- C**
- Candida albicans*, 6, 49, 51, 60, 97, 100, 106, 107, 108, 113, 124, 129, 133
 - levels in saliva and on denture and mucosal surfaces, 117
 - and non-*albicans* in saliva, denture, and mucosal surfaces, 119
 - in vitro ability of thinfilm polymer formulations against, 131
- Candida*-associated denture stomatitis, 6, 106
- Candida glabrata*, 6, 107, 133, 136, 137, 139, 142
- Candida* hyphae on acrylic surface, 107
- Candida krusei*, 107, 144
- Candida parapsilosis*, 107
- Candida tropicalis*, 6, 107, 124, 133, 142
- candidal levels present in saliva, 114
- cardiovascular diseases, 39–40
- care and maintenance of dentures, guidelines for, 5
- Caucasian population samples, 256
- Caucasian race, 256, 258
- CCDs. *see* conventional complete dentures (CCDs)
- CD. *see* complete denture (CD)
- central incisor exposure, female group, 252
- centric occlusion, complete dentures, 186
- charge-coupled device (CCD) camera, 159
- Charlson Comorbidity Index, 33
- chemical denture cleansers, 129
- chemiluminescence, 53
- Chi-square test, 201
- Chlamydia pneumonia*, 82
- chlorhexidine, 107, 108, 129, 130
 - destroys bacteria by, 131
 - diacetate, 131
 - digluconate, 131
 - gluconate, 129
 - minimal inhibitory concentration (MIC), 131
- cholesterol, 68
- chronic obstructive pulmonary disease (COPD), 41, 60
- clinical evaluation of dentures. *see* Kapur index
- cluster analysis, 92, 95
 - dendrogram, 96
 - mean microbial profiles, 96
- cognitive impairment, 43
- colony forming equivalents (CFEs), 82
- colony forming units (CFUs), 10
- comminution, 69
- common therapeutic strategy, 135
- comorbid conditions, 39
- complete denture (CD), 66
 - fabrication of, 135
 - maintenance of, 3
 - stomatitis in healthy patients, 136
 - teeth, selection of, 256
- complete denture therapy, 58
 - at 6- and 18-month Follow-Up, 233
 - baseline, postinsertion, and 6- and 18-month follow-up questionnaire, 231
 - examination content, 231–232
 - factors associated with, 229–235
 - implant placement, 230
 - logistic regression analysis, 233–234
 - outcome measures of, 233
 - participant characteristics at baseline, 232
 - patient satisfaction, 220–227, 230, 231, 234
 - trial phases, diagram of, 225
 - questionnaire content, 231
 - statistical analysis, 232
- complete denture wearers, 240
 - age group, demographic data, 241, 243
 - denture-supporting tissues, 207
 - images evaluation, 240
 - masticatory cycle efficiency, analysis, 206–209
 - natural teeth, loss of, 207
 - participants' perception, 242
 - smile line, esthetic impact of, 239–243
- completed metal framework design, 167
- complete mandibular dentures, 240
- complete maxillary denture, 165, 240
- complex oral-systemic disease, 34
- computer-aided design (CAD) technology, 152, 153, 155, 157, 160, 163, 164, 168, 172, 177
 - 3D digital edentulous models, 174
 - mandible after cubic spline interpolation image, 158
 - mandible by raw data image, 158
 - software, 175, 177
 - 3Shape Dental System 2, 177
 - virtual complete dentures, 177
- computer-aided manufacturing (CAM) technology, 152, 153, 155, 157, 160, 163, 168, 172, 175–177
- cone-beam computed tomography (CBCT), 154

- conventional complete dentures (CCDs), 181, 183, 184, 200, 207, 212, 221, 230
- Cronbach's alpha value, 214
- culture-based methodology, 84
- D**
- data evaluation, 91
- 3D digital edentulous models, 174
- 3D digital models, 173
- definitive prosthesis
- delivered, 166
 - with ISA CAD/CAM, 154
 - with ISA RP, 154
- dementia, 33, 34, 38, 43
- dental esthetics, 259
- dental examination, 51, 67
- dental floss, 256
- measured with the sliding caliper, 257
 - sectioned by blade at the mark location, 257
 - sliding caliper positioned, 257
- dental waste, 157
- dentate participants, 200
- dentogenic theory, 246, 262
- denture adhesives, 5, 8, 185, 212
- advantages of using, 9
 - application and removal of, 10–11
 - clinical implications of *Candida* colonization of, 126
 - contraindications, 186
 - correct application of, 11
 - functional changes associated with, 9
 - maxillary denture, 186
 - potential benefits of, 124
 - precautions using, 10
 - toxicity of zinc-containing adhesives, 10
- denture base, design, 173
- denture biofilm, 6, 60
- coverage area, 130
- denture care
- and management, 8–12
 - products, 129
- denture cleaning, 6, 7–8
- alternative denture cleansing methods, 8
 - brushing with denture creams and pastes, 7
 - precautions associated with, 8
 - soaking and brushing with commercially available, 7–8
 - ultrasonic cleaning, 8
- denture cleansers, precautions associated with use of, 8
- denture construction, 263
- denture-contacting mucosa (type 2), 134
- denture fabrication
- definitive impressions, historical approach, 181–183
 - process, 222
- denture fitting, 119
- role of *Candida*, 119–120
- denture hygiene, 6, 109, 146
- improvements, 60
 - methods, 129
- denture-induced stomatitis, 146
- denture plaque, 6, 60, 82
- denture problems, 235
- denture quality
- expert-based assessment of, 201
- denture recall interval, 12
- denture-related biofilm, 134
- denture-related lesions
- NHANES III report, 59
- denture replacement, 208
- denture satisfaction, 200–203
- denture-supporting tissues, 203
 - expert-based measures, 202
 - exploratory variables, and perceived overall satisfaction, 202
 - maxillary rocking movement, in clinical examination, 203
 - study outcome/measures/instruments, 200–201
- denture stomatitis (DS), 6, 12, 58, 81, 85, 100, 129, 133
- clinical photographs, based on Newton classification, 105
 - epidemiology of, 101–103
 - etiologial associations, 59, 104–105
 - Candida* infection, 107–108
 - denture hygiene, 105–107
 - denture-induced trauma, 105
 - multiple etiologial factors, 113
 - role of denture materials in, 108–109 - exfoliative cytology findings in, 120
 - inclusion and exclusion criteria, 121
 - recurrence, 108
- denture success, 230, 231, 233, 234
- depression, 62, 231, 234
- designed
- maxillary teeth, 153
 - SLM metal palate framework for maxillary denture, 167
 - splinted zirconia onlays, 166
- diabetes, 40
- diagnostic classification, 135
- diagnostic criteria, 135
- dietary assessment, 67
- dietary guidance, 67
- dietary intake, 67
- digital impression
- accuracy of, 158–159, 162
 - instructions used to prompt tracing with, 161
- digitally scanned maxillary wax rim, and acrylic base, 153
- digital preliminary impression, 157
- digital technology, 157
- disinfectants, 85, 106, 129, 131, 135, 145
- distal extension prosthesis (RPDD), 68, 71, 72
- DNA–DNA hybridization, 91
- DNA extraction, 82
- 3-D printing, 160, 161, 164, 177
- dry mouth, 113, 115–117, 181
- DS. *see* denture stomatitis (DS)
- dysesthesia, 21, 27
- dysplasia, 50, 51, 53, 54
- lesions, 51

E

- edentulism, 5, 19, 58, 67, 180–187
 - ACP classification, 181
 - and cancer, 37, 42
 - and cardiovascular disease, 36, 39, 40
 - checklist for classification of, 21
 - classification system for, 24
 - class I-IV, 24–29
 - guidelines for use of, 27
 - and cognitive impairment, 38, 43
 - and COPD, 37, 41
 - denture fabrication-definitive impressions, historical
 - approach, 181–183
 - and diabetes, 36, 40
 - diagnostic criteria for, 20
 - functional impressions, 183–184
 - improving fit, to underlying tissues, 185
 - incidence in the United States and globally, 33
 - integration of diagnostic findings, 24
 - meet World Health Organization (WHO) criteria, 32
 - and mortality, 38, 43–44
 - nutrition, and malnutrition, 35
 - and obesity, 35
 - patient acceptance, improving, 185–186
 - public health strategies to prevent, 58
 - and respiratory diseases, 37, 41
 - and rheumatoid arthritis, 36, 41
 - tissue conditioning, 184–185
 - endodontic treatment, 129
 - endosseous oral implants, 62, 63
 - for treatment of edentulism, 62–63
 - erythema image, demonstrates partial resolution, 184
 - erythroleukoplakia, 51
 - erythroplakia, 51–52
 - Escherichia coli*, 131
 - esthetic dentistry, 246, 251
 - evidence-based guidelines, 3
 - exfoliative examination, 116
 - extraoral and intraoral examination, 52
- F**
- facial beauty, 240
 - FBBO maxillary teeth, 222
 - final impression, 157, 160, 172
 - and interocclusal record using specialized trays, 158
 - final maxillary prosthesis, 168
 - final tooth setup, for mandibular implant-assisted overdenture, 166
 - Fisher's exact test, 241
 - fixed partial dentures (FPDs), 66–68, 157, 161, 172, 174, 177
 - fluconazole, 60, 107, 108, 131, 136–138, 140–142, 144
 - FPDs. *see* fixed partial dentures (FPDs)
 - fracture resistance, 164
 - Friedman test, 216, 217
 - p*-values, 226
 - fully bilateral balanced occlusion (FBBO), 221, 222, 225–227
 - Cronbach's alpha values, 224
 - dentures, 221
 - functional assessment of dentures (FAD) instrument, 201, 203

- fungal infection, 133, 136
- Fusobacterium nucleatum*, 90–95

G

- gagging, 59
- gastrointestinal infection, 60
- geriatric alcoholism, 52
- geriatric oral health assessment index (GOHAI), 212, 217
- glutaraldehyde, 131
- G*Power software, 212
- gum line, 264

H

- health care, improvements in, 84
- healthy patients
 - treatment, complete denture stomatitis in, 136–143
- heat-polymerized acrylic resin, 129
- HIV/AIDS patients, 114
- human papillomavirus (HPV), 50
- hydrogen peroxide, 131
- hygiene, 58, 62, 129, 131, 134, 135, 139, 143–146, 231
- hyperactive gag reflex, 27
- hypochlorites, 5, 7, 85, 106, 108, 129, 131, 143

I

- ideal denture cleanser, characteristics of, 7
- immune response impaired, secondary to systemic conditions, 113
- immuno-compromised patients, 134, 135
 - treatment, complete denture stomatitis in, 144
- implant-supported or -retained removable prostheses, 62
- implant-supported overdenture, 62
- impression techniques
 - closed-mouth technique, 183
 - modeling plastic compound, 183
 - rubber base secondary, 183
 - tissue surface of, 184
- impression time, 161
- inflammatory fibrous hyperplasia, 59
- interfering points, detection of
 - and subsequent removal of interfering points, 178
- intraclass correlation coefficient (ICC), 213
- irritation-induced hyperplasia, 58
- Iso Functional[®] border-molded custom tray, 182
- itraconazole, 107, 137, 138, 140, 144, 146

J

- J-305 monopoly syrup, 185

K

- Kappa/Chi-squared tests, 246
- Kapur Index (KID), 114, 212, 213, 214
 - high quality, 213
 - null hypothesis, 218
 - OHIP-14 total scores of gender, 214
 - slope, trend, and coefficient of determination, 216
- keratinized mucosa, 60
- Klebsiella pneumoniae*, 82–84
- Kruskal-Wallis test, 130

L

- laser treatment, 135
 - Law of Harmony, 261
 - Legionella pneumophila*, 82
 - leukoplakia, 50–51
 - lingualized occlusion (LO), 221–223, 225
 - buccal view of, 222
 - lingual view of, 223
 - LO. *see* lingualized occlusion (LO)
 - logistic regression, 234
 - analysis, 233–234
 - luminescence, 53
- M**
- magnetic resonance imaging (MRI), 154
 - maladaptation, 60–62
 - conventional denture patients, 212
 - to dentures, 60–62
 - malnutrition, 35, 67, 69
 - mandibular, 20
 - anatomy, 61
 - arch, 25, 26, 28, 29
 - dentures, 23
 - dissatisfaction with, 61
 - stability, 61
 - models, 152
 - muscle attachments, 23
 - type A-E, 23–24
 - mylohyoid ridge, 173
 - residual alveolar ridges, 61
 - wax rim, 177
 - Mann-Whitney tests, 214, 215
 - mastication, 9, 34, 69, 124, 194, 207, 209
 - efficiency, 225
 - tests, 207
 - Tukey's student range, 208
 - maxillary anterior teeth, 251
 - arrangement, 264–265
 - phonetics, 251
 - placement, 263–264
 - vertical, 264
 - position
 - canine to lip—male, 253
 - central incisor
 - to lip—female, 253
 - to lip—male, 253
 - qualitative/quantitative guides, 261–265
 - selection, 261–263
 - maxillomandibular relations, 263
 - maxillary arch, 28, 29
 - maxillary canine exposure, 253
 - maxillary complete denture, 251
 - anterior teeth
 - nasal width, 258
 - selection, 255–259
 - errors, 258
 - with metal palate opposing mandibular implant, 166–168
 - with milled posterior zirconia onlays, 164–166

- maxillary denture, 22, 129
 - retention, 61
 - maxillary incisal edge position, 250, 251
 - anterior tooth position central incisor to lip—female, 252
 - central incisor exposure, 251, 252
 - maxillary anterior lip, 252
 - vertical position, 252
 - maxillary incisors, 264
 - maxillary interocclusal rim, 264
 - maxillary wax occlusal rim, 265
 - maxillary working model, 152
 - with acrylic base and wax rim, 152
 - maxillo-mandibular ataxia, 27
 - maxillo-mandibular relationship, 24
 - class I-III, 24
 - methicillin-resistant *Staphylococcus aureus* (MRSA), 8, 82–85, 198
 - methyl methacrylate (MMA), 152
 - microbial analysis, of samples, 91
 - microbial cells, on surface of denture, microscopic representation, 105
 - microbial complexity, 90
 - microbial culture, 82
 - and DNA extraction, 82
 - microbiota
 - of denture biofilm samples, 92–93
 - hard palate, 93
 - polished (exterior) denture palate, 93
 - saliva samples, 93, 96
 - soft tissue, 93, 96
 - tongue dorsum, 93
 - microseal, 185
 - microwave irradiation, 8
 - minimal inhibitory concentration (MIC)
 - fluconazole, 131
 - miconazole, 131
 - mininutritional assessment values, 70
 - mobile tissues, 184
 - Moraxella catarrhalis*, 82–84
 - mortality, 43–44, 67
 - mouth moisture, 231
 - mucosal
 - biopsy, 116
 - lesions, 12
 - wetness, 115–116
 - yeast cultures, 144
 - mucositis, excessive pressure
 - patient treated for, 184
 - mucostatic technique, 182
 - muscle attachments, 23
- N**
- narrow-emission tissue fluorescence, 53
 - nasal index, 256
 - nasal width
 - dimensions, 258
 - and intercanine distance, 257

natural occlusal plane, 197
Neisseria pharynges, 124
 neuroticism, 62
 Newton classification system, 102, 103, 105, 114, 117, 134
 classification II and III stomatitis, 115
 nQueryAdviser, 241
 nutrient intake, 71
 nutrition, 35, 67, 69
 assessment, 68
 changes, in aging patients, 67
 status, 67
 nystatin, 60, 107, 108

O

obesity, 39, 40
 annual cost associated with, 39
 self-reported among U.S. adults, 40
 trends, 39
 occlusal plane, in natural/artificial dentitions, 194–197
 ala-tragus line, 194, 195
 angle between occlusal plane, 195
 artificial occlusal plane (AOP) orientation, 195–197
 clear denture, 185
 significant difference between Camper's I, II, and III, 196
 tragus, 195
 occlusal vertical dimension (OVD)
 clinical evaluations, 207
 with complete dentures, 207
 maxillary cast, 207
 reestablishment, 208
 OHIP-20 scores, 76
 older teeth, incisal/interproximal wear, 262
 oncogenic viruses, 50
 onlay preparations, on posterior acrylic resin teeth, 165
 onychomycosis, 60
 Optocal ATF, 207
 oral bacteria, 6, 60, 81, 84, 100, 124, 125
 oral cancer screening devices, 52–53
 oral candidiasis, 113, 114, 118, 120, 129, 134, 135, 144
 oral health, 5, 60
 care, 132
 conditions, 67
 program, 144
 promotion, 58
 oral health impact profile for edentulous patients (OHIP-EDENT)
 frequencies, mean values, and standard deviations, 226
 p-values from Friedman test, 226
 questionnaire, 224
 weighted median values, 227
 oral health implant profile-14 (OHIP-14) scale
 on denture wearers using adhesives, 211–218
 Friedman's test, 217
 Mann-Whitney and Spearman's rho test results, 215
 mean OHIP-14 total scores, 214, 215
 trend lines, 216–217

oral health quality of life (OHQoL), 213, 217
 participants, 212–213
 reliability analysis of OHIP-14, 214
 scale reliability, 214
 scale validity, 214–216
 statistical analysis, 213–214
 Wilcoxon test, 217
 oral health quality of life (OHQoL), 212
 oral health-related quality of life (OHR-QOL), 9–10
 oral health status indicators
 oral health impact profile-14 (OHIP-14), 215, 216, 217, 218
 oral health impact profile-49 (OHIP-49), 212
 oral hygiene, 11, 13, 41, 62, 81, 84, 113, 135, 144, 145, 248, 249
 education, 135
 poor, 11, 43, 49, 51, 58, 81
 oral implant, 62
 placement, 59
 therapy, 63
 treatment for mandibular edentulism, 63
 oral microbe distribution, cataloged by state of health, 106
 oral mucosa, 60
 inflammation, 60
 lesions, 59–60
 OVD. *see* occlusal vertical dimension (OVD)

P

papillary (granular) hyperplasia, 134
 Pap smears, 54
 paresthesia, 27
 part-digitizing system, 157, 158
 description of, 160
 partially edentulous (PE), 67, 68, 71, 72
 PAS-cytology assessments, 116, 117
 PAS exfoliative cytology, for palatal and vestibular area and tongue, 118
 patients
 demographics, 82
 wear dentures, guidelines, 7
 periodontal pathogens, 96, 97
 plaque pellet, 82
 plastic lip retractors, 246
 plastic modeling compound
 border-molded impression tray, 183
 pneumonia, 41, 60, 81
 poisson multivariate regression, 202, 203
 polyether impression material
 secondary wash impression, 182
 poly (methyl methacrylate) (PMMA), 152, 185
 resin, 60, 185
 porcelain teeth, 152
Porphyromonas gingivalis, 60, 90, 96
 post-insertion, with prosthesis delivered, 168
 premalignant lesions, 50
Prevotella intermedia, 91
Prevotella melaninogenica, 90, 92–95
Prevotella nigrescens, 91

prosthesis, 8, 12, 13, 32, 49, 59, 61, 67, 68, 70–72, 146, 164, 165
 definitive, 153, 154, 166, 168
 diagnostic prosthesis aids, 183
 fixed, 173
 immediate/transitional, 124
 post-insertion with prosthesis delivered, 168
 targeted approach, with/without pharmacological antifungal agents, 146
 prosthetic materials, 129
 psychosocial conditions, 207
 moderate, 27
 pterygomaxillary notches, 173

Q

QoL. *see* quality of life (QoL)
 quality of life (QoL), 5, 6, 8, 49, 58, 67, 75, 78, 212
 quality of supporting tissues, 212
 quantitative PCR, 82
 questionnaire, 231

R

rapid prototyping (RP), 152, 153
 rebase of dentures, 12, 13
 refractory patient, 27
 rehabilitation, 62
 edentate person using dentures, 62
 relapse, 134
 relines, 12
 materials, 129
 removable dental prosthesis (RDP) framework, 164
 removable partial denture (RPD), 66
 research diagnostic criteria (RDC) questionnaire, 207
 residual bone height
 measurement, radiographic survey of, 20, 22
 patient classified as, 20
 residual ridge morphology, 22
 for maxilla
 classification system, 22
 type A-E, 23–24
 residual ridge resorption (RRR), 11–13, 59
 respiratory
 infections, 41
 pathogens
 colonizing dentures, prevalence and quantity of, 83
 detection of, 82
 prevalence in plaque of with healthy palatal mucosa and, 84
 primers used for qPCR, 83
 roughness average (Ra) value, 6
 RPDT. *see* tooth-supported prosthesis (RPDT)

S

ISA CAD/CAM maxillary and mandibular models, 153
 ISA CAD/CAM with wax modelling, 153
 saliva
 flow, impaired, 113
 flow rate, 114

flow rates, 116
 immunoglobulins, 119
 protein, altered, 113
 reservoir of biofilm-derived pathogens, 146
 role of, 117
 samples, 91
 secretory IgA level, 113
 stimulated saliva collection, 115
 sample size, 67, 114, 119, 120, 212, 218, 227, 241, 253, 254
 ISA RP maxillary and mandibular models, 154
 selective laser melting (SLM) technology, 164, 169
 framework, fitted to final cast, 167
 metal framework, tried on mandibular cast, 167
 self-esteem, 62
 semiadjustable articulator
 intermaxillary relations, 265
 serum biochemical assessment, 67
 Shapiro-Wilk test, 68
 short portable mental status questionnaire, 67
 smile line, esthetic impact of, 239–243
 smoking cessation, 58
 sociodemographic variables, 70
 sodium hypochlorite (NaOCl), 7, 131
 sodium perborate, 131
 based tabs, 131
 soft tissue samples, 91
 space verification using SSF before processing, 168
 Spearman's rho test, 215
 split stone flask index, for space analysis, 167
 split stone flasking technique (SSFT), 166
 squamous cell carcinoma, 49
 epidemiology, 49
 risk factors associated with, 49
S. salivarius, 97
Staphylococcus aureus, 131
 stone, type III, 222
Streptococcus mitis, 124
Streptococcus mutans, 90, 120, 131
Streptococcus oralis, 6
Streptococcus pyogenes, 82
 surface roughness, 6
 systemic health, 5

T

T-cell functional deficits, 114
 teeth position, arranged in relation to occlusal plane, 174
 temperamental theory, 262
 temporomandibular disorders (TMD), 207
 tissue conditioning, 184–185
 tissue reflectance
 with chemiluminescence, 53
 with luminescence, 53
 tobacco, 49
 stains, 129
 tooth extraction, in mandible, 59
 tooth loss, and comorbid disease, 33
 tooth shape, 246

tooth-supported prosthesis (RPDT), 68, 69, 71, 72
total denture microbiome, 84
total tooth loss, 58
total viable counts (TVC), 124–125
 statistical analysis, 125–126
toxicity, 129, 155
 zinc-containing adhesives, 10
trauma, 113
 ulcers, 58
treatment
 categories, 135
 evaluated by strategies
 healthy patients, 145
 immunocompromised patients, 145
 related morbidity, 59
Tukey test, 257
TVC. *see* total viable counts (TVC)

U

ultrasonic cleaning, 8
unstimulated saliva collection, 115

V

VELscope, 53
vinegar, 131
vinylpolysiloxane material
 secondary wash impression, 182

virtual

 baseplates, design of, 173, 175
 complete denture, design of, 172–173
 dentitions, design, 174
 maxillary dentition, 177
visual analog scale (VAS), 200, 241, 243
vital dye marking, 53

W

wax impression technique, 157
wax rim, 264
wear resistance, 164
Wilcoxon signed rank test, 125, 126, 139, 214, 216, 217,
 224, 226, 227

X

xerostomia, 113, 134
 questionnaire, 115, 121
 symptoms, 114, 116

Z

zinc, 70
 containing denture adhesives, 5
zirconia
 onlay bonded to maxillary denture resin teeth, 166
 onlay preparations on premolars/molars, 165