

Subject Index

- A**
aggregation, 240–244, 271, 276–277, 279
 high frequency, 240
 sample size, 241, 242, 245, 273, 276, 278
algorithms
 bootstrap, 118, 130–135
alternative Hill plot, 394
alpha-stable distributions, 190
analytical comparison, 242, 259, 272
annual maxima. *see* block maxima
anti-Leibnizian, 26
anything but Mandelbrot (ABM), 37
aperiodicity, 141
application-driven approach, 45
applications to finance, 161, 164–167
approximation
 Berry–Esséen bounds, 261
 Berry–Esséen inequality, 249, 261, 262, 264
 Edgeworth expansion, 249, 261
 Hermite polynomial, 249
 moments, 240
 normal approximation, 248–252, 254, 256–257, 259–260, 262, 265, 269, 277–278
 numerical approximation, 255, 259, 262, 265, 268, 269, 271–274, 276, 278
 Zaliapin method, 242, 247–248, 250–251, 266, 271–272
asset returns, 483–505
asymptotic independence, 89, 209
asymptotic mean-squared error (AMSE), 365
AT&T, 396
autoregression, 409–410
autoregressive conditional heteroscedasticity (ARCH) process, 217, 222, 484, 487, 491, 492, 526
- B**
bank contagion, 358
banking market index, 381
bank loans, 394
bank run, 552
Barndorff–Nielsen, 46
Bessel function, 186
Basel Committee on Banking Supervision, 555–557, 559–562
Bernstein polynomials, 202, 207
beta distribution, 58, 59, 67, 69
bivariate extreme value distribution, 196, 198
bivariate normal distribution function, 367
Black Monday, 525–528
 crash, 220, 231
Black–Scholes model, 39
block maxima, 56, 70–72, 75, 76, 84
blocking techniques, 139
bootstrap methodology, 118, 127–135
bounded rationality, 7
BP, 397
breakout (fractal) signal, 226, 231
Brownian, 468, 469
Brownian motion, 31, 484
Brownian virus, 27
- C**
CAC40, 164–167
capital-guarantee, 5
central limit theorem, 485
CGMY model, 47

- Citigroup
 - credit default swaps (CDS) spread, 391
 - classical (IID) CLT and EVT, 12–13
 - clearinghouses, 428
 - London Clearing House (LCH), 428
 - CLT and EVT for stationary sequences
 - Berman's condition, 17
 - Bernstein block methods, 15, 16
 - Bernstein blocks, strong mixing, 15
 - EVT under m -dependence, 16
 - EVT under strong mixing, 18
 - Gaussian sequences, 17
 - general ETT, 17
 - Rosenblatt's, strong mixing, 16
 - cluster, 74
 - collateralized loan obligation (CLO), 403
 - communication of risk, 211
 - complexity, 530, 531
 - compound Poisson–normal process, 32
 - compositional data, 210
 - computer software, 344–347
 - conditional value-at-risk (CVaR), 217, 359
 - estimator, 219
 - constant proportion portfolio insurance (CPPI), 465–468, 470, 472, 481
 - cushion, 465–472
 - exposure, 465–469, 471
 - floor, 466–470
 - method, 27, 172
 - multiple, 466–470, 472, 473, 476–481
 - continuous parameter extremes, 20
 - ETT for continuous parameter processes, 20
 - EVT for random fields, 21
 - exceedances of multiple levels, 22
 - point processes of, upcrossings, 20
 - convergence in distribution, 59
 - convergence in probability, 59
 - copula, 89
 - corporation, 572–574
 - correlations, 550, 553
 - in stressed markets, 399–400
 - coverage test
 - conditional, 407, 418–422
 - independence, 407, 418–422
 - unconditional, 407, 418–422
 - Cramer–Lundberg model, 41, 142–144, 161–162
 - credit index
 - tail behavior, 394–395
 - tail dependence with equities, 403
 - credit spreads, 4, 391–404
 - data quality, 393
 - financials (tail dependence), 400
 - industrials (tail dependence), 400–401
 - multivariate analysis, 398–401
 - tail index independent of initial spread, 397
 - term structure (inverted in distress), 403
 - volatility proportional to initial spread, 396
 - cybernetic, 529, 536, 539–541
 - autoadaptivity, 536, 537
 - feed-back, 536
 - homeostasis, 541, 542
 - self learning, 537
- D
- data
 - financial assets, 238–240, 243
 - insurance data, 277
 - log returns, 240–241, 244
 - market risk data, 243, 248
 - Meuse river data, 75–76
 - SOA insurance data, 83
 - software R, 262, 273, 277
 - S&P 500 data, 55, 241–242
 - data-smoothing, 228, 235
 - Datastream, 364
 - default correlation, 399, 403
 - degeneration, 541, 542
 - dependence, 110
 - deterministic binary approach, 553
 - distribution
 - comparison of distributions, 259, 272
 - conditional distribution, 251–253, 256, 429
 - cumulative distribution function, 117
 - empirical distribution function, 118, 129
 - exponential, 99–100
 - extended Pareto, 105
 - extreme value, 97–98, 119
 - fat-tailed, 241, 245, 248, 277, 430–431, 433, 435, 437, 439, 486, 487, 490–492, 501
 - Fréchet, 132, 244, 246–247, 255, 430–431, 435, 438–439, 486–487, 492, 500, 527
 - Gaussian, 241–242, 484, 526

- generalized extreme value (GEV)
 - distribution, 246–247
- generalized hyperbolic distributions, 185
- generalized Pareto distribution (GPD), 99–100, 244, 270
- Gnedenko, 486
- Gumbel, 13, 246–247, 430–431, 486–487, 492, 500
- heavy-tailed, 97, 99, 119, 121, 135, 239–242, 244–245, 248–250, 255, 274, 277
- kurtosis, 46
- light-tailed, 240, 269
- loss distribution, 267, 269, 271
- mixture of Gaussian, 484
- normal, 428–433, 435–436, 438–439
- Pareto, 119–122, 126, 240, 242–260, 267–273, 277–278, 484
- semi-heavy-tailed, 184–187
- stable, 240, 245–246, 248, 271, 278
- Student-*t*, 122, 133–134, 428, 431, 433, 438–439, 484
- tail distribution, 240, 246–247, 269, 278
- thin-tailed, 486, 491, 492, 498
- truncated Pareto, 111
- unconditional, 429
- Weibull, 246–247, 430–431, 486, 491
- diversification, 549, 550, 565–567
- Dodd–Frank Act, 530
- durations between excesses over high thresholds (DPOT), 75
- duration-times-spread (DTS), 396
- dynamic measure of risk, 215

- E
- early warning indicator, 359
- earnings growth (EPS), 513–514
- economic value added (EVA), 513
- econophysics program (EP), 47
- electricity
 - EEX, 413–422
 - electricity, 405–423
 - mean-reversion, 406
 - PJM, 413–422
 - power market, 406–407, 413–416, 421–423
 - PWX, 413–422
 - seasonality, 406
 - electricity markets, 4
- Elliott wave, 35, 224, 227
 - vertexes, 225, 226
- empirical likelihood, 199–200, 204
- endpoint, 55, 56, 58, 59, 63, 76
 - estimation, 79, 82
- Enron, 397
- estimation
 - distribution, 245–269
 - (extreme) quantile, 242, 271–278
- estimation method
 - Bayesian, 100, 110
 - jackknife, 104–105
 - maximum likelihood, 100, 103, 106–107
 - method of moments, 100, 106
 - reduced-bias, 104–106, 109
- Euclidean likelihood, 199–200
- exceedance probability, 109
- exceedances of levels, *k*th largest values, 14, 15
- expected shortfall, 3
- expected utility, 564
- expert systems, 522
- exponential families for heavy-tailed data, 196, 207–209
- extremal index, 74, 110
- extremal limit
 - for *k*th largest order statistic, 72
 - for maxima, 60, 63
 - for minima, 62
- extreme, 552, 553
- extreme quantiles, 109
- extreme value, 465–467, 481, 482
 - analysis, 97, 99, 110
 - distribution, 119
 - index, 97, 99, 101–102, 104–110, 119
 - puzzle, 27
 - theorem, 119
- extreme value index (EVI), 63, 64, 69, 76–78
 - estimation, 79–81, 83
- extreme value theory (EVT), 11–12, 152, 171, 246, 406–423, 427–428, 430–435, 437, 439–450, 486
 - application, 526
 - approach, 27, 172
 - copula, 453
 - cumulative distribution function (CDF), 452
 - determining tail observations, 453

- extreme value theory (EVT) (*continued*)
 early history of EVT, 11–12
 first-order conditions, 119–120
 Fisher–Tippett theorem, 173–175,
 240, 246
 GEV, 451
 GPD, 445, 451
 history, 2
 intermediate order statistics, 120, 121,
 127
 log-excesses, 120
 maximum domains of attraction, 244,
 255
 order statistics, 119
 parameter estimates, 453, 454, 456
 PDF, 452
 Pickands theorem, 244
 plots, 454–455, 457, 459
 second and higher-order conditions,
 121–122
- F**
 families of tilted measures, 204–209
 Fannie Mae
 conservatorship, 394
 Fast MCD algorithm, 400
 Financial Crisis Inquiry Commission, 508
 financial innovation, 550, 553
 derivatives, 547, 549, 552
 subordinated debt, 550, 551
 financial institutions, 567
 financial returns, 430, 433, 435
 Fisher–Tippett, 173–174, 176–178, 473,
 481
 forecasting, 220, 221
 Fourier, 28, 29
 fractal (breakout) signal, 226, 231
 Fréchet distribution, 474, 477, 479, 480
 Freddie Mac
 conservatorship, 394
 function
 slowly varying, 218
 fundamental analysis (FA), 223
 futures, 428
 LIFFE, 429
- G**
 Gaussian distribution, 176, 484, 566
 generalized autoregressive conditional
 heteroskedasticity (GARCH), 362,
 372, 407–422, 429, 434
 generalized hyperbolic distributions, 185,
 190
 generalized Jenkinson–von Mises
 distribution, 173, 175–177
 generalized extreme distribution, 473
 generalized extreme value distribution
 (GEV), 56, 63, 64, 70, 72–77, 402
 generalized hyperbolic (GH) distribution,
 46
 generalized Pareto distribution, 56, 69
 global financial crisis (2008), 394
 great recession, 507
 Gumbel distribution, 473, 474, 477
- H**
 heavy-tailed, 239–242, 244–245,
 248–250, 255, 274, 277
 data, 218
 distribution, 218
 stable distributions, 182
 Lévy measure, 183
 heuristics, 508, 509, 511, 512, 514, 515,
 518, 519
 high quantile estimation, 73, 77–79,
 82–83
 high yield tail index, 395
 Hill estimator, 79–81, 83, 120, 159–161,
 439, 489
 asymptotic normal distribution, 126
 bias reduction, 120–127
 multivariate, 400
 historical simulation, 409–421
 human error, 532–534
 assurance quality, 533, 534
 hyperbolic distribution, 45, 46
- I**
 independent and identically distributed
 (IID), 27
 informational asymetry, 547
 internal audit, 555–559
 irreducibility, 141
- J**
 Jenkinson–von Mises distribution, 173,
 175–176, 188
 Journal Extremes, 210
 jump-diffusion models, 40

K

known knowns, 508, 509
 known unknowns, 508, 512
 kurtosis distribution, 46

L

Laplace, 46, 47
 large and complex banking organizations (LCBOs), 358
 Ledford and Tawn approach, 381
 Lehman Brothers
 failure, 394
 Leibnizian, 26
 Lévy–Khintchine formula, 29
 Lévy processes, 171, 469
 alpha-stable distributions, 190
 characteristic function, 29
 CGMY and VG distributions, 188–190
 econophysics, 38
 generalized hyperbolic distributions, 190
 infinitely divisible distributions, 179
 laws of maxima, 188
 MDA of the Gumbel law, 187
 normal distribution, 29
 Poisson processes, 32
 power of power laws, 38
 Lévy measure, 181
 limit theorems for sums
 central limit theorem (CLT), 240, 242, 244, 248, 249, 255, 256, 259, 266, 269, 271, 272, 274–278
 conditional limit theorem, 256
 generalized central limit theorem (GCLT), 240, 242, 245, 247, 271, 273, 274, 276
 max method, 247, 271–277
 mixed limit theorems, 247
 mixed normal extreme limit, 254
 Normex, 242, 248, 254–265, 271–278
 trimmed sums, 248–249, 254–258, 265, 278
 weighted normal limit, 265–269, 272–278
 liquidity
 for credit portfolios, 401–403
 market price, 393
 rule-of-thumb scaling factors, 402–403
 stress, 6

 and systemic shocks, 399
 local extrema, 227, 228, 231, 233
 log-return, 216
 long-short credit portfolios, 403

M

Mandelbrot program, 28
 ARCH models, 37
 continually discontinuous, 34
 discontinuity and scaling, 35–36
 fractal description of markets, 35
 leptokurtic phenomenon, 36
 price behavior, 35
 margin requirements, 428, 429
 margin setting, 4, 428
 initial margin, 428, 429
 margin call, 428
 margin level, 428–429, 431–433, 438–440
 SPAN system, 429
 variation margin, 428, 429
 marginal expected shortfall (MES), 358
 market-based indicators, 358
 market conditions matrix, 510
 market crash, 220, 231, 233
 magnitude, 220
 market efficiency, 564, 567
 markets, 572–574
 Markov chains, 3, 15
 maturity transformation, 547
 max-domain of attraction, 99–100, 103
 condition, 63
 Fréchet, 100–101, 109
 Gumbel, 99
 multivariate, 84
 Weibull, 99
 maximum domain of attraction (MDA), 177–178, 430, 431
 maximum existing moment, 500
 mean excess
 function, 66
 plot, 77
 mean excess function, 217
 measure-dependent measure, 196–198
 measures of risk, 4, 215
 beta, 16
 CVaR, 217
 dynamic, 3, 222, 227, 229, 232–234
 extreme systematic risk, 4
 m^+ , 232–234

- measures of risk (*continued*)
 m_{TA} , 227, 229
 properties, 229
 spikes, 230
 VaR, 216
- methods
 Max method, 247, 271–277
 Normex, 242, 248, 254–265, 271–278
 QQ plot, 241, 242
 supervised vs. unsupervised methods, 278
 weighted normal limit, 265–269
 Zaliapin method, 242, 247–248, 250–251, 266, 271–272
- minimum/maximum approach, 495
- minimum-variance reduced-bias, 122–124, 128, 130, 132–135
- mixture of Gaussian, 484
- modern portfolio theory
 asset allocation, 444
 CAPM, 444
 diversified portfolio, 443
 downside risk, 444
 portfolio weights, 445, 446, 449, 450, 457, 459–461
 safety first, 444
- modified Bessel functions, 186
- moments, 62, 64
- moments estimator, 80–81
- money market funds, 546–548, 551
 dynamic money market funds, 549, 551, 552
- Monte Carlo simulation, 117, 129
- moral hazard, 539, 547
- Morgenstern distribution, 367
- moving average (MA), 223
- moving average convergence divergence (MACD), 226, 510, 511, 520
 divergence signal, 228
- multivariate extremes
 dimension reduction, 210
 spatial, 210
 spectral density ratios, 196, 203–204, 209
- multivariate Hill estimator, 400
- N
- Natura non facit saltus, 26, 171
- negative/positive approach, 496
- non-Gaussian Merton–Black–Scholes theory, 38
- nonparametric estimation methods
 bootstrap, 327–328
 filtered historical, 327
 historical, 326–327
 importance sampling, 327
 Kernel, 328–329
- nonparametric market conditions, 5, 508, 509, 521
- nonstationary bivariate extremes, 202
- normal inverse Gaussian (NIG) distribution, 46, 187
- normality, 6
- numerical study, 241–242, 262, 272–278
- O
- objective Bayes, 211
- open-high-low-close (OHLC) prices, 223, 224
- operational risk, 6
 advanced measurement approach (AMA), 556
 basic indicator approach (BIA), 556
 data collection exercise, 558–562
 industry definition of operational risk, 556
 standardized approach (STA), 556
- option-based portfolio insurance (OBPI), 465
- order statistics, 57, 72, 242, 243, 247, 248, 250–254, 258, 259, 267, 277–278
 conditional distribution of order statistics, 252–256
 distribution of order statistics, 251
 moments of order statistics, 252, 257
 Pareto order statistics, 251–254, 257–259
- ordinary least-squares (OLS), 376
- outer correlations, 400
- P
- parametric estimation methods
 ARCH, 315–316, 319
 ARMA–GARCH, 318–319
 asymmetric Laplace, 312–313
 asymmetric power, 313–314
 Bayesian, 325
 Brownian motion, 324–325
 capital asset pricing, 320
 copula, 309–310
 Cornish–Fisher, 311

- Dagum, 320–321
 - delta-gamma, 310–311
 - discrete, 322–323
 - elliptical, 308–309
 - Fourier transform, 305–306
 - GARCH, 316–319
 - Gaussian mixture, 301, 303–304
 - generalized hyperbolic, 304–305
 - Gram–Charlier, 310
 - Johnson family, 311–312
 - location-scale, 321–322
 - log folded t, 302–303
 - Pareto-positive stable, 301–302
 - principal components, 306–307
 - quadratic forms, 307–308
 - quantile regression, 324
 - RiskMetrics, 320
 - Student's t , 301
 - Tukey, 312
 - variance-covariance, 303
 - Weibull, 314–315
 - Paretian distribution, 484
 - Pareto, 67, 69, 86, 88, 175, 177–178, 183, 188
 - peaks-over-random-threshold (PORT), 71, 74
 - peaks-over-threshold (POT), 56, 70, 71, 73–75, 77, 78, 82, 83, 99, 100, 103, 105–109, 433
 - performance ratios
 - lower partial moment (LPM), 445, 451, 452
 - Sharpe ratio, 444, 451
 - Sortino ratio, 444, 451, 456–460
 - Petrobras, 397
 - Pickands estimator, 496
 - dependence function, 87–88
 - estimator, 80, 81, 83
 - theorem, 70, 71, 77
 - point processes of level exceedances, 19
 - compound Poisson limits, 19
 - Exceedance clusters, 19
 - portfolio insurance, 5, 465, 466, 468, 481, 482
 - portfolio theory, 565
 - pragmatic program (PP), 27
 - price patterns, 223
 - probability estimator, 431
 - procedure of choosing the tuning parameter, 219
 - process of ARCH, 218, 222, 526
 - properties of VaR
 - inequalities, 294–300
 - multivariate, 291–293
 - ordering, 289–290
 - risk concentration, 293–294
 - upper comonotonicity, 290–291
 - proportional tails model, 196, 204–209
 - Pseudo-regeneration, 141
 - Nummelin splitting trick, 147–148
 - times, 148
- Q**
- QQ-plot
 - generalized Pareto, 102, 107
 - Pareto, 101, 106–107
 - quantile, 216
- R**
- radical program (RP), 28
 - rank correlation
 - pre-crisis vs. crisis, 377
 - Spearman, 376
 - tail risk and tail- β , 378
 - cross-industry comparison, 368
 - rate of convergence, 240, 248–250, 259–260
 - rate of return, 223
 - ratio estimator of the tail index (RE), 219
 - rationality, 6
 - bounded, 571–580
 - expectations, 574–578
 - pure and perfect, 574–578
 - real estate investment trusts (REITs)
 - correlation with S&P 500, 449, 450
 - GARCH, 446, 449
 - statistical description, 446–450
 - Tax Reform Act, 445
 - reflexive effects, 551
 - regeneration, 141–144
 - based estimators, 154–157
 - cycle submaxima, 151
 - hitting times, 142
 - minorization condition, 146
 - properties, 145
 - small set, 146
 - regular variation, 100, 110, 119, 247, 255, 270
 - regulation, 528, 530, 531, 534, 535, 539
 - machine, 534–538
 - mechanization, 540

- regulation (*continued*)
 prudential standards, 542
 robotization, 529, 531, 532
 standardization, 531, 540
 relative strength index (RSI), 226
 resampling methods, 118, 127, 129–130
 return period, 55, 64, 76
 returns, 133
 risk, 529, 530
 aggregation, 4
 credit risk, 428
 default risk, 428
 mild randomness, 566
 extreme systematic, 359
 wild randomness, 566
 risk management, 5, 405–422
 stress scenarios, 527
 value at risk, 526
 risk measures, 215, 240–242, 245–246,
 255, 269–278
 alternative, 362
 coherence, 269, 362, 371
 estimation, 242, 245, 269–277
 expected shortfall, 240, 267, 269–271,
 277
 financial crisis, 239–241
 quantile, 241–242, 248, 270–277
 solvency, 242, 269, 271, 273, 277
 subadditivity (& asymptotic
 subadditivity), 269–271
 tail-value-at-risk, 240, 269
 traditional, 230
 value-at-risk, 240–242, 259, 269–272,
 274–279
 variance, 239–240, 242, 247–248,
 255–256, 266, 268–269, 278
 tail risk
 tail cut-off point, 364
 Hill statistic, 365
 robotization, 6
 robustness, 110
 routines, 571–580
 Ruin theory, 142–145, 161–162

 S
 sample fraction estimation, 118
 Sato classification
 activity and variation of, 31–33
 Lévy processes, 28–31
 light of, 33–34
 scale of fluctuations, 33
 scaling law, 245
 scedasis function, 205–207
 second-order parameters' estimation,
 123–125
 semi-heavy-tailed Lévy processes
 generalized hyperbolic distributions,
 185
 tempered stable distributions, 184–185
 VG and CGMY models, 184
 semiparametric estimation methods
 extreme value, 332–333
 generalized Champernowne, 342–343
 generalized Pareto, 333–335
 M-estimation, 342
 short term and long term, 577
 Sortino ratio, 5
 smirk phenomenon, 46
 spectral density ratio model, 196,
 203–204, 209
 spectral measures, 87–88
 family, 200–204, 209
 predictor-dependent, 200–201
 smoothed, 199–200
 spectral surface
 definition, 201
 estimation, 202, 204
 S&P 500 index, 466
 choice of distribution, 497–501
 correlation with REITs, 449, 450
 data, 493–495
 GARCH, 446, 449
 statistical description, 446–450
 tail index estimate, 495–497
 square-root-of-time rule, 27
 standard deviation, 430
 stock index futures, 427–428, 432, 435,
 437–438, 440
 stock market waves, 35
 stress scenarios, 6, 527
 synthetic assets (ETF, ETN), 509, 510
 systemic risk indicator, 357, 364–381
 bivariate parametric distribution
 function, 365
 Hill plots, 365
 systemic shocks
 and tail dependence of credit spreads,
 399

- T
- tail dependence function, 89, 367
 - of credit spreads, 398–399
 - tail estimator, 432, 437
 - tail independence, 367
 - tail index
 - in credit markets, 394–395
 - risk indicator/tail- β , 362–364
 - tail index estimator
 - adaptive, 130–131
 - asymptotic behaviour of, 126–127
 - Dekkers and De Haan, 499
 - empirical method on high frequency financial data, 240–242, 244–245, 248
 - extreme value index, 240, 244, 247, 248, 255, 270, 277–278
 - generalized quantiles, 102, 106
 - Hill estimator, 101–103, 105–107, 109, 111, 120, 121, 130, 133–135, 244, 277–278, 489, 505
 - Kernel, 101, 103
 - mean square error (MSE), 490, 504
 - minimum-variance reduced-bias (MVRB), 118, 122–125
 - mixed moment, 102
 - non-parametric method, 488, 499
 - parametric method, 488, 495–497
 - peaks over random threshold (PORT), 125–128, 130, 133–135
 - Pickands, 102–103, 496, 499, 501
 - QQ estimator, 244, 277–278
 - tail probability, 55
 - tempered stable models, 37
 - Texaco, 397
 - theory
 - organizational theory, 578–579
 - political philosophy, 579–580
 - self-realizing prophecy, 576
 - speculation of, 26
 - threshold, 120, 125–128, 130, 133–135, 241, 244, 248–250, 265, 273
 - adaptive selection, 108
 - time, 7
 - trimmed sum, 248, 249, 254, 256, 259, 265, 278
- U
- unexpected events, 533
 - unforeseen correlation, 540
 - unknown knowns, 515
 - unknown unknowns, 508, 518
- V
- value at risk (VaR), 3, 109–110, 405–423, 526
 - applications, 287–289
 - definition, 286–287
 - history, 283–286
 - out-of-sample, 407, 416, 418–423
 - quantile, 430, 433, 438–439
 - significance level (α), 405–406, 418, 421–422
 - time horizon (t), 405–406
 - violation ratio, 407, 418–422
 - value discrepancies, 514–515, 518
 - variance gamma (VG) model, 46, 47
 - volatility smile, 46
 - volatility (VIX, VXD, VXN), 510, 518
 - Volkswagen, 397
- W
- waiting time, 525–528
 - weak (distributional) mixing for EVT,
 - D(un)
 - associated independent sequence, 19
 - ETT under D(un), 18
 - extremal index, 18
 - Weibull, 13, 58, 60–63, 67, 69, 70, 77, 174–176, 188
 - distribution, 473, 474, 477, 486, 491

